# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 08/08/2025 Revision date: 09/08/2025 Supersedes version of: 09/08/2025 Version: 3.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : chrome ultra blue UFI : P3U0-F07S-E002-SUK1

Type of product : Solution
Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category: Professional useUse of the substance/mixture: Electroplating agentsFunction or use category: Electroplating agents

Uses advised against

Restrictions on use : Consumer uses: Private households (= general public = consumers)

#### 1.3. Details of the supplier of the safety data sheet

No additional information available

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:vapour) Category 4 H332
Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Harmful if inhaled. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

# 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

011000

GHS07 GH

Signal word (CLP) : Danger

09/08/2025 (Revision date) IE - en 1/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : nitric acid ...% [C ≤ 70 %]; ammonium bifluoride; ammonium hydrogen difluoride

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

H332 - Harmful if inhaled.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing vapours.

P280 - Wear protective clothing, eye protection, face protection.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor. P391 - Collect spillage.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Chromium trinitrate	CAS-No.: 13548-38-4 EC-No.: 236-921-1	28 – 35	Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Aquatic Acute 1, H400 Aquatic Chronic 1, H410
nitric acid% [C ≤ 70 %] substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-030-00-3	20 – 25	Ox. Liq. 3, H272 Acute Tox. 3 (Inhalation:vapour), H331 (ATE=2.65 mg/l) Skin Corr. 1A, H314 EUH071
ammonium bifluoride; ammonium hydrogen difluoride	CAS-No.: 1341-49-7 EC-No.: 215-676-4 EC Index-No.: 009-009-00-4	1 – 3	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Skin Corr. 1B, H314

Specific concentration limits:				
Name	Product identifier	Specific concentration limits (%)		
nitric acid% [C ≤ 70 %]	CAS-No.: 7697-37-2 EC-No.: 231-714-2 EC Index-No.: 007-030-00-3	$(5 \le C < 20)$ Skin Corr. 1B; H314 $(20 \le C \le 100)$ Skin Corr. 1A; H314 $(65 \le C \le 100)$ Ox. Liq. 3; H272		
ammonium bifluoride; ammonium hydrogen difluoride	CAS-No.: 1341-49-7 EC-No.: 215-676-4 EC Index-No.: 009-009-00-4	(0.1 ≤ C < 1) Skin Irrit. 2; H315 (0.1 ≤ C < 1) Eye Irrit. 2; H319 (1 ≤ C ≤ 100) Skin Corr. 1B; H314		

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

Personal Protection in First Aid and Measures : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Harmful if inhaled.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

## 6.2. Environmental precautions

Avoid release to the environment.

09/08/2025 (Revision date) IE - en 3/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Packaging materials : Store always product in container of same material as original container.

#### 7.3. Specific end use(s)

Hygiene measures

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

# 8.2. Exposure controls

#### **Appropriate engineering controls**

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

# Personal protective equipment symbol(s):







#### Eye and face protection

#### Eye protection:

Safety glasses

# Skin protection

# Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Respiratory protection**

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

: Liquid Physical state : Green. Colour Appearance : Liquid. : Pungent. Odour : Not available Odour threshold Melting point : Not applicable Freezing point : Not available Boiling point : 104.4 °C Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available : < 1.5 pH solution concentration : 100 % Viscosity, kinematic : Not available

Solubility : In water, material soluble.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 1.2 – 1.3 Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Inhalation:vapour: Harmful if inhaled.

chrome ultra blue		
ATE CLP (vapours) 10.6 mg/l/4h		
Chromium trinitrate (13548-38-4)		
LC50 Inhalation - Rat <a href="https://example.com/4.58 mg/l Animal: rat, Guideline: OECD Guideline 403">LC50 Inhalation - Rat</a> <a href="https://example.com/4.58 mg/l Animal: rat, Guideline: OECD Guideline 403">LC50 Inhalation - Rat</a>		

Skin corrosion/irritation : Causes severe skin burns.

pH: < 1.5

5111 51111 till till till till till till till	
рН	≥2-≤3

#### ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)

pH 3.5

Serious eye damage/irritation : Causes serious eye damage.

pH: < 1.5

## **Chromium trinitrate (13548-38-4)**

Chromium trinitrate (13548-38-4)

pH ≥ 2 - ≤ 3

#### ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)

pH 3.5

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

#### **Chromium trinitrate (13548-38-4)**

Viscosity, kinematic Not applicable

# ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)

Viscosity, kinematic Not applicable

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

(acute)

09/08/2025 (Revision date) IE - en 6/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long–term : Very toxic to aquatic life with long lasting effects. (chronic)

Chromium trinitrate (13548-38-4)	
EC50 96h - Algae [1]	0.4 mg/l Test organisms (species): Scenedesmus capricornutum
EC50 96h - Algae [2]	1.21 mg/l Test organisms (species): Scenedesmus capricornutum

#### 12.2. Persistence and degradability

chrome ultra blue			
Persistence and degradability	Not rapidly degradable		
Chromium trinitrate (13548-38-4)	Chromium trinitrate (13548-38-4)		
Persistence and degradability  Not rapidly degradable			
nitric acid …% [C ≤ 70 %] (7697-37-2)			
Persistence and degradability Not rapidly degradable			
ammonium bifluoride; ammonium hydrogen difluoride (1341-49-7)			
Persistence and degradability  Not rapidly degradable			

## 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

HP Code

- Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP8 - "Corrosive:" waste which on application can cause skin corrosion.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

09/08/2025 (Revision date) IE - en 7/12

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
UN 3264	UN 3264	UN 3264	UN 3264	UN 3264	
14.2. UN proper shippin	g name				
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	Corrosive liquid, acidic, inorganic, n.o.s.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	
Transport document descr	iption				
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s., 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8, II, ENVIRONMENTALLY HAZARDOUS	
14.3. Transport hazard	class(es)				
8	8	8	8	8	
8	8	8	8	8	
14.4. Packing group					
II	II	II	II	II	
14.5. Environmental hazards					
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	
No supplementary information	on available		ı	1	

# 14.6. Special precautions for user

# **Overland transport**

Classification code (ADR) : C1
Special provisions (ADR) : 274
Limited quantities (ADR) : I1
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN
Tank special provisions (ADR) : TU42
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates

80 3264

Tunnel restriction code (ADR)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) 1 L Excepted quantities (IMDG) E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T11 Tank special provisions (IMDG) TP2, TP27 Stowage category (IMDG) : B Stowage and handling (IMDG) SW2

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) · F2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

#### **Inland waterway transport**

Classification code (ADN) : C1
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : C1 Special provisions (RID) 274 Limited quantities (RID) 1L Excepted quantities (RID) : E2 Packing instructions (RID) : P001, IBC02 Mixed packing provisions (RID) : MP15 Portable tank and bulk container instructions (RID) T11 Portable tank and bulk container special provisions : TP2, TP27

(RID)

Tank codes for RID tanks (RID): L4BNSpecial provisions for RID tanks (RID): TU42Transport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 80

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items: Ammonium hydrogen fluoride or ammonium bifluoride (1341-49-7).

#### **Explosives Precursors Regulation (EU 2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	code for mixture without
Nitric acid	7697-37-2	3 % w/w	10% w/w	ex 2808 00 00	ex 3824 99 96

#### **Drug Precursors Regulation (EC 273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Abbreviations and acronyms:		
ACGIH	American Conference of Government Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

CAS-No. Chemical Abstract Service number  CLP Classification Labeling Packaging Regulation; Regulation (EC) No 1272/2008  CDD Chemical oxygen demand (COD)  CSA Chemical safety assessment  DMEL Derived Minimal Effect level  DNEL Derived Minimal Effect level  EC-No. European Community number  ECSO Median effective concentration  ED Endocrine diaruptor  EN European Standard  EWC European Standard  EWC European Standard  EWC European Mariational Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LCSO Median lethal concentration  LDSO Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  LOg Kow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOSE No-Observed Adverse Effect Level  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Exposure Limit  PET Persistent Bioaccumulative Toxic  PPE Personal protection quipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Clerance Limit  TWA Vorte Very Brasistent and Very Bioaccumulative	Abbreviations and acronyms:		
COD Chemical oxygen demand (COD) CSA Chemical safety assessment  DMEL Derived Minimal Effect level  DNEL Derived-No Effect Level  EC-No European Community number  ECSO Median effective concentration  ED Endocrine disruptor  EN European Standard  EWC European waste catalogue  IARC International Agency for Research on Cancer  IARTA International Agency for Research on Cancer  IARTA International Air Transport Association  IMDG International Maritime Dangerous Goods  LCSO Median lethal concentration  LD50 Median lethal concentration  LD60 Median lethal dose  LCAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  NOAS. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RD Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical suppose demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	CAS-No.	Chemical Abstract Service number	
CSA Chemical safety assessment  DMEL Derived Minimal Effect level  DNEL Derived-No Effect Level  EC-No. European Community number  ECSO Median effective concentration  ED Endocrine disruptor  EN European Standard  EWC European Standard  EWC European Standard  EWC European Standard  EWC International Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LCSO Median lethal concentration  LDSO Median lethal dose  LOSE Median International Maritime Dangerous Goods  LCSO Median lethal dose  LOSE Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Row)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  NOAEL No-Observ	CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL Derived Minimal Effect level  DNEL Derived-No Effect Level  EC-No. European Community number  EC50 Median effective concentration  ED Endocrine disruptor  EN European Standard  EWC European Standard  EWC European Standard  EWC International Agency for Research on Cancer  IATA International Agency for Research on Cancer  IATA International Maritime Dangerous Goods  LC50 Median lethal dose  LC60 Partition coefficient n-octanol/water (Log Kow)  LC50 Pow Partition coefficient n-octanol/water (Log Fow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Concentration  NOAS. Not Otherwise Specified  OCCD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bisaccumulative Toolc  PNEC Predicted No-Effect Concentration  TF Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  TIM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	COD	Chemical oxygen demand (COD)	
DNEL Derived-No Effect Level  EC-No. Europaan Community number  EC50 Median effective concentration  ED Endocrine disruptor  EN European standard  EWC European waste catalogue  IARC International Agency for Research on Cancer  IATA International Agency for Research on Cancer  IATA International Maritime Dangerous Goods  IAGO Median lethal concentration  IAGO Median lethal dose  LOSO Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Row)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Level  NOCE No-Observed Adverse Effect Level  NOCE No-Observed Adverse Effect Level  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Exposure Limit  OSHA Occupational Exposure Limit  PPT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	CSA	Chemical safety assessment	
EC-No. European Community number  ECSO Median effective concentration  ED Endocrine disruptor  EN European Standard  EWC European waste catalogue  IARC International Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LCSO Median lethal done International Maritime Dangerous Goods  LCSO Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Row)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOCE Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PET Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  Volatile Organic Compounds	DMEL	Derived Minimal Effect level	
EC50 Median effective concentration  ED Endocrine disruptor  EN European Standard  EWC European Vaste catalogue  IARC International Agency for Research on Cancer  IATA International Martime Dangerous Goods  LC50 Median lethal concentration  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  LOg Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Fow)  MAK maximum workplace concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  NOAEL No-Observed Effect Concentration  NOAS. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Exposure Limit  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOO Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  Volatile Organic Compounds	DNEL	Derived-No Effect Level	
ED Endocrine disruptor EN European Standard EWC European waste catalogue IARC International Agency for Research on Cancer IATA International Agency Goods IATA International Agency Goods IATA International Agency Goods IATA International Agency Goods IATA International Intern	EC-No.	European Community number	
EN European Standard  EWC European waste catalogue  IARC International Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LC50 Median lethal concentration  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Fow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Concentration  NO.S. Not Otherwise Specified  OCCO Organisation for Economic Co-operation and Development  OCL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RD Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	EC50	Median effective concentration	
EWC European waste catalogue  IARC International Agency for Research on Cancer  IATA International Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LC50 Median lethal dose  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Fow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  TF Technical function  ThoD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	ED	Endocrine disruptor	
IARC International Agency for Research on Cancer  IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LC50 Median lethal concentration  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Concentration  NO.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	EN	European Standard	
IATA International Air Transport Association  IMDG International Maritime Dangerous Goods  LC50 Median lethal concentration  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  NO.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	EWC	European waste catalogue	
IMDG International Maritime Dangerous Goods  LC50 Median lethal concentration  LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	IARC	International Agency for Research on Cancer	
LCSO Median lethal concentration  LDSO Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	IATA	International Air Transport Association	
LD50 Median lethal dose  LOAEL Lowest Observed Adverse Effect Level  Log Kow Partition coefficient n-octanol/water (Log Kow)  Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	IMDG	International Maritime Dangerous Goods	
LOAEL Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds	LC50	Median lethal concentration	
Log Kow Partition coefficient n-octanol/water (Log Kow) Log Pow Partition coefficient n-octanol/water (Log Pow) MAK maximum workplace concentration NOAEC No-Observed Adverse Effect Concentration NOAEL No-Observed Adverse Effect Level NOEC No-Observed Effect Concentration N.O.S. Not Otherwise Specified OECD Organisation for Economic Co-operation and Development OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration PBT Persistent Bioaccumulative Toxic PNEC Predicted No-Effect Concentration PPE Personal protection equipment RID Regulations concerning the International Carriage of Dangerous Goods by Rail SDS Safety Data Sheet STP Sewage treatment plant TF Technical function ThOD Theoretical oxygen demand (ThOD) TLM Median Tolerance Limit TWA Time Weighted Average VOC Volatile Organic Compounds	LD50	Median lethal dose	
Log Pow Partition coefficient n-octanol/water (Log Pow)  MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	LOAEL	Lowest Observed Adverse Effect Level	
MAK maximum workplace concentration  NOAEC No-Observed Adverse Effect Concentration  NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  DECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	Log Kow	Partition coefficient n-octanol/water (Log Kow)	
NOAEC  No-Observed Adverse Effect Concentration  NOAEL  No-Observed Adverse Effect Level  NoEC  No-Observed Effect Concentration  N.O.S.  Not Otherwise Specified  OECD  Organisation for Economic Co-operation and Development  OEL  Occupational Exposure Limit  OSHA  Occupational Safety & Health Administration  PBT  Persistent Bioaccumulative Toxic  PNEC  Predicted No-Effect Concentration  PPE  Personal protection equipment  RID  Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS  Safety Data Sheet  STP  Sewage treatment plant  TF  Technical function  ThOD  Theoretical oxygen demand (ThOD)  TLM  Median Tolerance Limit  TWA  Time Weighted Average  VOC  Volatile Organic Compounds	Log Pow	Partition coefficient n-octanol/water (Log Pow)	
NOAEL No-Observed Adverse Effect Level  NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	MAK	maximum workplace concentration	
NOEC No-Observed Effect Concentration  N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	NOAEC	No-Observed Adverse Effect Concentration	
N.O.S. Not Otherwise Specified  OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	NOAEL	No-Observed Adverse Effect Level	
OECD Organisation for Economic Co-operation and Development  OEL Occupational Exposure Limit  OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	NOEC	No-Observed Effect Concentration	
OEL Occupational Exposure Limit OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	N.O.S.	Not Otherwise Specified	
OSHA Occupational Safety & Health Administration  PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	OECD	Organisation for Economic Co-operation and Development	
PBT Persistent Bioaccumulative Toxic  PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	OEL	Occupational Exposure Limit	
PNEC Predicted No-Effect Concentration  PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	OSHA	Occupational Safety & Health Administration	
PPE Personal protection equipment  RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	PBT	Persistent Bioaccumulative Toxic	
RID Regulations concerning the International Carriage of Dangerous Goods by Rail  SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	PNEC	Predicted No-Effect Concentration	
SDS Safety Data Sheet  STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	PPE	Personal protection equipment	
STP Sewage treatment plant  TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
TF Technical function  ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	SDS	Safety Data Sheet	
ThOD Theoretical oxygen demand (ThOD)  TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	STP	Sewage treatment plant	
TLM Median Tolerance Limit  TWA Time Weighted Average  VOC Volatile Organic Compounds	TF	Technical function	
TWA Time Weighted Average  VOC Volatile Organic Compounds	ThOD	Theoretical oxygen demand (ThOD)	
VOC Volatile Organic Compounds	TLM	Median Tolerance Limit	
	TWA	Time Weighted Average	
vPvB Very Persistent and Very Bioaccumulative	VOC	Volatile Organic Compounds	
	vPvB	Very Persistent and Very Bioaccumulative	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
UFI	Unique Formula Identifier

Full text of H- and EUH-statements:	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Ox. Liq. 3	Oxidising Liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.