

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 05/08/2024 Revision date: 13/08/2025 Supersedes version of: 09/08/2025 Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : verzinkshop electrolyte v-brite 100

UFI : GYN0-20TY-100D-3CM5

Type of product : Solution
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use

Use of the substance/mixture : Electroplating agents Function or use category : Electroplating agents

Uses advised against

Restrictions on use : The use for purposes other than the recommended use is prohibited

1.3. Details of the supplier of the safety data sheet

Manufacturer

Verzinkshop Installatieweg 25

8251KP Dronten

Netherlands

T+31628090022

info@verzinkshop.nl

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS05

GHS09

Signal word (CLP)

: Danger

Contains

: sulphuric acid ... %; copper sulphate pentahydrate

Hazard statements (CLP)

H314 - Causes severe skin burns and eye damage.
 H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P280 - Wear protective clothing, eye protection, face protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a doctor, a POISON CENTER.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. Immediately call a doctor.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
copper sulphate pentahydrate substance with a Community workplace exposure limit	CAS-No.: 7758-99-8 EC-No.: 231-847-6 EC Index-No.: 029-023-00-4	10 – 20	Acute Tox. 4 (Oral), H302 (ATE=481 mg/kg bodyweight) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
sulphuric acid % substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8	5 – 7	Skin Corr. 1A, H314
hydrogen chloride substance with national workplace exposure limit(s) (NL); substance with a Community workplace exposure limit	CAS-No.: 7647-01-0 EC-No.: 231-595-7 EC Index-No.: 017-002-00-2	< 2	Press. Gas Acute Tox. 3 (Inhalation), H331 (ATE=700 ppmv/4h) Skin Corr. 1A, H314

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
sulphuric acid %		(5 ≤ C < 15) Skin Irrit. 2; H315 (5 ≤ C < 15) Eye Irrit. 2; H319 (15 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand. Call a physician

immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Rinse skin with water/shower. Take off immediately all

contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice. Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : If swallowed, seek medical advice immediately and show this container or label. Rinse

mouth. Do not induce vomiting. Call a physician immediately.

Personal Protection in First Aid and Measures : First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : None under normal conditions.

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

13/08/2025 (Revision date) IE - en 3/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : May be corrosive to metals. Not expected to present a significant hazard under anticipated

conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not

breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

13/08/2025 (Revision date) IE - en 4/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Wear closed safety glasses. Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Physical state

Protective gloves against chemicals (EN 374)

Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Liquid

Colour Blue. Appearance Liquid. : slight. Pungent. Odour Odour threshold : Not available : Not applicable Melting point : Not available Freezing point : ≈ 100 °C Boiling point Flammability : Non flammable. Lower explosion limit : Not available : Not available : Not available

Upper explosion limit Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : > 0.5 - < 1 pH solution concentration : 100 % Viscosity, kinematic : Not available Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available : Not available Vapour pressure at 50°C : ≈ 1.16 g/ml Density : Not available Relative density : Not available Relative vapour density at 20°C

9.2. Other information

Particle characteristics

No additional information available

: Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

May be corrosive to metals. Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Risk of explosion by shock, friction, fire or other sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

Aspiration hazard

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

sulphuric acid % (7664-93-9)	
LD50 oral rat	2140 mg/kg
hydrogen chloride (7647-01-0)	
LD50 oral rat	238 mg/kg Source: HSDB
LD50 dermal rabbit	> 5010 mg/kg Source: ECHA
LC50 Inhalation - Rat	8.3 mg/l Source: ECHA
	Causes severe skin burns. pH: > 0.5 - < 1

sulphuric acid % (7664-93-9)	
рН	< 1 (20 °C)
Serious eve damage/irritation	Causes serious eve damage.

Serious eye damage/irritation	: Causes serious eye damage.
	pH: > 0.5 - < 1

sulphuric acid % (7664-93-9)		
	рН	< 1 (20 °C)
	Respiratory or skin sensitisation :	Not classified (Based on available data, the classification criteria are not met)
	Germ cell mutagenicity :	Not classified (Based on available data, the classification criteria are not met)
	Carcinogenicity :	Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity	. Not classified (based off available data, the classification chieffa are not met)
hydrogen chloride (7647-01-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

13/08/2025 (Revision date) IE - en 6/13

: Not classified (Based on available data, the classification criteria are not met)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

copper sulphate pentahydrate (7758-99-8)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Very toxic to aquatic life.

'acute'

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

hydrogen chloride (7647-01-0)	
LC50 - Fish [1]	3.25 – 3.5 mg/l Source: ECHA
EC50 - Crustacea [1]	4.92 mg/l Source: ECHA
EC50 72h - Algae [1]	0.73 mg/l Source: ECHA

12.2. Persistence and degradability

erzinkshop electrolyte v-brite 100	
Persistence and degradability	Not rapidly degradable
sulphuric acid % (7664-93-9)	
Persistence and degradability Not rapidly degradable	
hydrogen chloride (7647-01-0)	
Persistence and degradability Not rapidly degradable	
copper sulphate pentahydrate (7758-99-8)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

hydrogen chloride (7647-01-0)	
Partition coefficient n-octanol/water (Log Pow)	0.25 Source: ICSC

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- : HP8 "Corrosive:" waste which on application can cause skin corrosion.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID r	number			
UN 3264	UN 3264	UN 3264	UN 3264	UN 3264
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %)	Corrosive liquid, acidic, inorganic, n.o.s. (copper sulphate pentahydrate; sulphuric acid %)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %)
Transport document desci	ription			
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %), 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3264 Corrosive liquid, acidic, inorganic, n.o.s. (copper sulphate pentahydrate; sulphuric acid %), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (copper sulphate pentahydrate; sulphuric acid %), 8, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	11
14.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C1
Special provisions (ADR) : 274
Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001, IBC02
Mixed packing provisions (ADR) : MP15
Portable tank and bulk container instructions (ADR) : T11
Portable tank and bulk container special provisions : TP2, TP27

(ADR)

Tank code (ADR) : L4BN
Tank special provisions (ADR) : TU42
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Hazard identification number (Kemler No.) Orange plates

80 3264

Tunnel restriction code (ADR) : E

Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T11 Tank special provisions (IMDG) : TP2, TP27 Stowage category (IMDG) : B Stowage and handling (IMDG) : SW2

Segregation (IMDG) : SGG1, SG36, SG49

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E2 : Y840 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L : 855 CAO packing instructions (IATA) CAO max net quantity (IATA) : 30L Special provisions (IATA) A3, A803 ERG code (IATA) 8L

Inland waterway transport

Classification code (ADN) : C1
Special provisions (ADN) : 274
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C1
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02

13/08/2025 (Revision date) IE - en 9/13

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mixed packing provisions (RID) : MP15

Portable tank and bulk container instructions (RID) : T11

Portable tank and bulk container special provisions : TP2, TP27

(RID)

Tank codes for RID tanks (RID): L4BNSpecial provisions for RID tanks (RID): TU42Transport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which are not to be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

1	Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	code for mixture without
5	Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Hydrochloric acid	Hydrogen chloride	7647-01-0	2806 10 00	Category 3		Annex I
Sulphuric acid		7664-93-9	2807 00 00	Category 3		Annex I

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:				
ACGIH	American Conference of Government Industrial Hygienists			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road			
ATE	Acute Toxicity Estimate			
BCF	Bioconcentration factor			
BLV	Biological limit value			
BOD	Biochemical oxygen demand (BOD)			
CAS-No.	Chemical Abstract Service number			
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008			
COD	Chemical oxygen demand (COD)			
CSA	Chemical safety assessment			
DMEL	Derived Minimal Effect level			
DNEL	Derived-No Effect Level			
EC-No.	European Community number			
EC50	Median effective concentration			
ED	Endocrine disruptor			
EN	European Standard			
EWC	European waste catalogue			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods			
LC50	Median lethal concentration			
LD50	Median lethal dose			
LOAEL	Lowest Observed Adverse Effect Level			
Log Kow	Partition coefficient n-octanol/water (Log Kow)			
Log Pow	Partition coefficient n-octanol/water (Log Pow)			
MAK	maximum workplace concentration			
NOAEC	No-Observed Adverse Effect Concentration			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
N.O.S.	Not Otherwise Specified	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
OSHA	Occupational Safety & Health Administration	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
PPE	Personal protection equipment	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
TF	Technical function	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
TWA	Time Weighted Average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and Very Bioaccumulative	
UFI	Unique Formula Identifier	

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Press. Gas	Gases under pressure	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.